

SGS INSTITUT FRESENIUS GmbH • Postfach 1261 • 65220 Taunusstein


Planichem S.r.l.
Mr. Marco Forni
Via Consolare 41/43
IT-25030 Zocco di Erbusco (BS)

Jasmin Digles
Project Manager
Tel.: +49 6128 744-375, Fax: +49 6128 744-534
Jasmin.Digles
Consumer and Retail
Non Food

Taunusstein, 14/01/2020

Test-report no. 4630957
Test-report version < 1 >

Original Sample ID	Sample Description	Sample Receipt Date
160125578	SICHEM S33 (OFF-WHITE)	04/02/2016



General Information

SGS-Client's ID	:	10143316
SGS-Customer-Order	:	3649809
Ordering date	:	14/12/2015
Testing period	:	29/02/2016 – 08/03/2016
Order No.	:	-
Testing scope	:	Test according to client's requirements

Assessment

Overall assessment	pass
The samples complies with the requirements of FDA 21 § 177.1550.	

This (e)Report cancels and supersedes the (e)Report No. 2864878-02 dated 07.04.2016 issued by SGS INSTITUT FRESENIUS GmbH.

SGS INSTITUT FRESENIUS GmbH

This test report was electronically created and released:

	date	name	function	department
created	14.01.2020	i.A. Janina Nehls	Customer Service Assistant	Consumer and Retail Non Food
released	14.01.2020	i.V. Jasmin Digles	Project Manager	Consumer and Retail Non Food